

KEY FEATURES


- > Low voltage piezo ceramic
- > Optimal preload for high dynamics
- > Mechanical Amplification
- > Compact Size
- > High Resolution

RELATED PRODUCTS

- > CTEC benchtop controllers
- > CTEC OEM controllers

AVAILABLE OPTIONS

- > SG sensor
- > Vacuum compatibility
- > Non magnetic shell



NON CONTRACTUAL PICTURE

PARAMETER	VALUE	UNIT
> Quasistatic performances		
Nominal Stroke	2 000	µm
Min stroke	1 800	µm
Resolution ⁽¹⁾	110	nm
Blocked force	62	N
Stiffness	0.031	N/µm
> Dynamic performances		
Resonance frequency (free-free) ⁽²⁾	520	Hz
Resonance frequency (blocked-free) ⁽³⁾	87	Hz
Force limit ⁽⁴⁾	21	N
> Control & driving		
Voltage range	-20 ... 150	V
Capacitance ⁽⁵⁾	26	µF
> Dimensions & interfaces		
Height	27	mm
Length	140	mm
Width incl wires	20	mm
Mass	130	g
> Standard mechanical interfaces	See ICD	
> Electrical interface	See ICD	

ANNOTATIONS


(1) Quasistatic excitation. With standard LA75 range amplifier. SNR=85dB computed as RMS output signal /RMS output Noise floor at [0;200Hz]

(2) Free-free: The actuator mounts are free

(3) Blocked-free: The actuator is fixed to a mechanical support assumed infinitely stiff

(4) Maximum pulling or pushing external force, valid up to 90% of the blocked-free resonance frequency of the actuator

(5) Capacitance +/- 20%, at 1 V RMS, low frequency, without load



Material:	Material / Matière:	Material (01):
Real. treatment / Traitement réel:	Real. treatment / Traitement réel:	Material (02):
Real. treatment surface / Surface's treatment / réel:	Real. treatment surface / Surface's treatment / réel:	Material (03):
Tolerances specifications section:	Tolerances specifications section:	Material (04):
General dimensions according to:	General dimensions according to:	Material (05):
Revision / Révision:	Revision / Révision:	Material (06):
Author / Auteur:	Author / Auteur:	Material (07):
OKR	Public	Material (08):
Reference / Référence:	Reference / Référence:	Material (09):
0106996-ICD-01	0106996-ICD-01	Material (10):
D	D	Material (11):
Applicable	Applicable	Material (12):
A3	A3	Material (13):
1/1	1/1	Material (14):